

NICHQ Vanderbilt Assessment Scale—PARENT Informant

Today's Date: _____ Child's Name: _____ Date of Birth: _____
 Parent's Name: _____ Parent's Phone Number: _____

Directions: Each rating should be considered in the context of what is appropriate for the age of your child.
 When completing this form, please think about your child's behaviors in the past **6 months**.

Is this evaluation based on a time when the child was on medication was not on medication not sure?

Symptoms	Never	Occasionally	Often	Very Often
1. Does not pay attention to details or makes careless mistakes with, for example, homework	0	1	2	3
2. Has difficulty keeping attention to what needs to be done	0	1	2	3
3. Does not seem to listen when spoken to directly	0	1	2	3
4. Does not follow through when given directions and fails to finish activities (not due to refusal or failure to understand)	0	1	2	3
5. Has difficulty organizing tasks and activities	0	1	2	3
6. Avoids, dislikes, or does not want to start tasks that require ongoing mental effort	0	1	2	3
7. Loses things necessary for tasks or activities (toys, assignments, pencils, or books)	0	1	2	3
8. Is easily distracted by noises or other stimuli	0	1	2	3
9. Is forgetful in daily activities	0	1	2	3
10. Fidgets with hands or feet or squirms in seat	0	1	2	3
11. Leaves seat when remaining seated is expected	0	1	2	3
12. Runs about or climbs too much when remaining seated is expected	0	1	2	3
13. Has difficulty playing or beginning quiet play activities	0	1	2	3
14. Is "on the go" or often acts as if "driven by a motor"	0	1	2	3
15. Talks too much	0	1	2	3
16. Blurts out answers before questions have been completed	0	1	2	3
17. Has difficulty waiting his or her turn	0	1	2	3
18. Interrupts or intrudes in on others' conversations and/or activities	0	1	2	3
19. Argues with adults	0	1	2	3
20. Loses temper	0	1	2	3
21. Actively defies or refuses to go along with adults' requests or rules	0	1	2	3
22. Deliberately annoys people	0	1	2	3
23. Blames others for his or her mistakes or misbehaviors	0	1	2	3
24. Is touchy or easily annoyed by others	0	1	2	3
25. Is angry or resentful	0	1	2	3
26. Is spiteful and wants to get even	0	1	2	3
27. Bullies, threatens, or intimidates others	0	1	2	3
28. Starts physical fights	0	1	2	3
29. Lies to get out of trouble or to avoid obligations (ie, "cons" others)	0	1	2	3
30. Is truant from school (skips school) without permission	0	1	2	3
31. Is physically cruel to people	0	1	2	3
32. Has stolen things that have value	0	1	2	3

The information contained in this publication should not be used as a substitute for the medical care and advice of your pediatrician. There may be variations in treatment that your pediatrician may recommend based on individual facts and circumstances.

Copyright ©2002 American Academy of Pediatrics and National Initiative for Children's Healthcare Quality

Adapted from the Vanderbilt Rating Scales developed by Mark L. Wolraich, MD.

Revised - 1102

American Academy
of Pediatrics



DEDICATED TO THE HEALTH OF ALL CHILDREN™

NICHQ

National Initiative for Children's Healthcare Quality



NICHQ Vanderbilt Assessment Scale—PARENT Informant

Today's Date: _____ Child's Name: _____ Date of Birth: _____

Parent's Name: _____ Parent's Phone Number: _____

Symptoms (continued)	Never	Occasionally	Often	Very Often
33. Deliberately destroys others' property	0	1	2	3
34. Has used a weapon that can cause serious harm (bat, knife, brick, gun)	0	1	2	3
35. Is physically cruel to animals	0	1	2	3
36. Has deliberately set fires to cause damage	0	1	2	3
37. Has broken into someone else's home, business, or car	0	1	2	3
38. Has stayed out at night without permission	0	1	2	3
39. Has run away from home overnight	0	1	2	3
40. Has forced someone into sexual activity	0	1	2	3
41. Is fearful, anxious, or worried	0	1	2	3
42. Is afraid to try new things for fear of making mistakes	0	1	2	3
43. Feels worthless or inferior	0	1	2	3
44. Blames self for problems, feels guilty	0	1	2	3
45. Feels lonely, unwanted, or unloved; complains that "no one loves him or her"	0	1	2	3
46. Is sad, unhappy, or depressed	0	1	2	3
47. Is self-conscious or easily embarrassed	0	1	2	3

Performance	Excellent	Above Average	Average	Somewhat of a Problem	Problematic
48. Overall school performance	1	2	3	4	5
49. Reading	1	2	3	4	5
50. Writing	1	2	3	4	5
51. Mathematics	1	2	3	4	5
52. Relationship with parents	1	2	3	4	5
53. Relationship with siblings	1	2	3	4	5
54. Relationship with peers	1	2	3	4	5
55. Participation in organized activities (eg, teams)	1	2	3	4	5

Comments:

For Office Use Only

Total number of questions scored 2 or 3 in questions 1–9: _____

Total number of questions scored 2 or 3 in questions 10–18: _____

Total Symptom Score for questions 1–18: _____

Total number of questions scored 2 or 3 in questions 19–26: _____

Total number of questions scored 2 or 3 in questions 27–40: _____

Total number of questions scored 2 or 3 in questions 41–47: _____

Total number of questions scored 4 or 5 in questions 48–55: _____

Average Performance Score: _____



NICHQ Vanderbilt Assessment Scale—TEACHER Informant

Teacher's Name: _____ Class Time: _____ Class Name/Period: _____

Today's Date: _____ Child's Name: _____ Grade Level: _____

Directions: Each rating should be considered in the context of what is appropriate for the age of the child you are rating and should reflect that child's behavior since the beginning of the school year. Please indicate the number of weeks or months you have been able to evaluate the behaviors: _____.

Is this evaluation based on a time when the child was on medication was not on medication not sure?

Symptoms	Never	Occasionally	Often	Very Often
1. Fails to give attention to details or makes careless mistakes in schoolwork	0	1	2	3
2. Has difficulty sustaining attention to tasks or activities	0	1	2	3
3. Does not seem to listen when spoken to directly	0	1	2	3
4. Does not follow through on instructions and fails to finish schoolwork (not due to oppositional behavior or failure to understand)	0	1	2	3
5. Has difficulty organizing tasks and activities	0	1	2	3
6. Avoids, dislikes, or is reluctant to engage in tasks that require sustained mental effort	0	1	2	3
7. Loses things necessary for tasks or activities (school assignments, pencils, or books)	0	1	2	3
8. Is easily distracted by extraneous stimuli	0	1	2	3
9. Is forgetful in daily activities	0	1	2	3
10. Fidgets with hands or feet or squirms in seat	0	1	2	3
11. Leaves seat in classroom or in other situations in which remaining seated is expected	0	1	2	3
12. Runs about or climbs excessively in situations in which remaining seated is expected	0	1	2	3
13. Has difficulty playing or engaging in leisure activities quietly	0	1	2	3
14. Is "on the go" or often acts as if "driven by a motor"	0	1	2	3
15. Talks excessively	0	1	2	3
16. Blurts out answers before questions have been completed	0	1	2	3
17. Has difficulty waiting in line	0	1	2	3
18. Interrupts or intrudes on others (eg, butts into conversations/games)	0	1	2	3
19. Loses temper	0	1	2	3
20. Actively defies or refuses to comply with adult's requests or rules	0	1	2	3
21. Is angry or resentful	0	1	2	3
22. Is spiteful and vindictive	0	1	2	3
23. Bullies, threatens, or intimidates others	0	1	2	3
24. Initiates physical fights	0	1	2	3
25. Lies to obtain goods for favors or to avoid obligations (eg, "cons" others)	0	1	2	3
26. Is physically cruel to people	0	1	2	3
27. Has stolen items of nontrivial value	0	1	2	3
28. Deliberately destroys others' property	0	1	2	3
29. Is fearful, anxious, or worried	0	1	2	3
30. Is self-conscious or easily embarrassed	0	1	2	3
31. Is afraid to try new things for fear of making mistakes	0	1	2	3

The recommendations in this publication do not indicate an exclusive course of treatment or serve as a standard of medical care. Variations, taking into account individual circumstances, may be appropriate.

Copyright ©2002 American Academy of Pediatrics and National Initiative for Children's Healthcare Quality

Adapted from the Vanderbilt Rating Scales developed by Mark L. Wolraich, MD.

Revised - 1102

**American Academy
of Pediatrics**



DEDICATED TO THE HEALTH OF ALL CHILDREN™

NICHQ

National Initiative for Children's Healthcare Quality



NICHQ Vanderbilt Assessment Scale—TEACHER Informant

Teacher's Name: _____ Class Time: _____ Class Name/Period: _____

Today's Date: _____ Child's Name: _____ Grade Level: _____

Symptoms (continued)	Never	Occasionally	Often	Very Often
32. Feels worthless or inferior	0	1	2	3
33. Blames self for problems; feels guilty	0	1	2	3
34. Feels lonely, unwanted, or unloved; complains that "no one loves him or her"	0	1	2	3
35. Is sad, unhappy, or depressed	0	1	2	3

Performance	Excellent	Average	Above Average	Somewhat of a Problem	Problematic
Academic Performance					
36. Reading	1	2	3	4	5
37. Mathematics	1	2	3	4	5
38. Written expression	1	2	3	4	5

Classroom Behavioral Performance	Excellent	Above Average	Average	Somewhat of a Problem	Problematic
39. Relationship with peers	1	2	3	4	5
40. Following directions	1	2	3	4	5
41. Disrupting class	1	2	3	4	5
42. Assignment completion	1	2	3	4	5
43. Organizational skills	1	2	3	4	5

Comments:

Please return this form to: _____

Mailing address: _____

Fax number: _____

For Office Use Only

Total number of questions scored 2 or 3 in questions 1–9: _____

Total number of questions scored 2 or 3 in questions 10–18: _____

Total Symptom Score for questions 1–18: _____

Total number of questions scored 2 or 3 in questions 19–28: _____

Total number of questions scored 2 or 3 in questions 29–35: _____

Total number of questions scored 4 or 5 in questions 36–43: _____

Average Performance Score: _____



General Tips

1. Rules should be clear and brief. Your child should know exactly what you expect from him or her.
2. Give your child chores. This will give him or her a sense of responsibility and boost self-esteem.
3. Short lists of tasks are excellent to help a child remember.
4. Routines are extremely important for children with ADHD. Set up regular times for meals, homework, TV, getting up, and going to bed. Follow through on the schedule!
5. Identify what your child is good at doing (like art, math, computer skills) and build on it.
6. Tell your child that you love and support him or her unconditionally.
7. Catch your child being good and give immediate positive feedback.

Common Daily Problems

It is very hard to get my child ready for school in the morning.

- Create a consistent and predictable schedule for rising and getting ready in the morning.
- Set up a routine so that your child can predict the order of events. Put this routine in writing or in pictures on a poster for your child. Schedule example:
Alarm goes off → Brush teeth → Wash face → Get dressed → Eat breakfast → Take medication → Get on school bus
- Reward and praise your child! This will motivate your child to succeed. Even if your child does not succeed in all parts of the "morning routine," use praise to reward your child when he or she is successful. Progress is often made in a series of small steps!
- If your child is on medication, try waking your child up 30 to 45 minutes before the usual wake time and give him or her the medication immediately. Then allow your child to "rest" in bed for the next 30 minutes. This rest period will allow the medication to begin working and your child will be better able to participate in the morning routine.

My child is very irritable in the late afternoon/early evening. (Common side effect of stimulant medications)

- The late afternoon and evening is often a very stressful time for all children in all families because parents and children have had to "hold it all together" at work and at school.
- If your child is on medication, your child may also be experiencing "rebound"—the time when your child's medication is wearing off and ADHD symptoms may reappear.
- Adjust your child's dosing schedule so that the medication is not wearing off during a time of "high demand" (for example, when homework or chores are usually being done).

- Create a period of "downtime" when your child can do calm activities like listen to music, take a bath, read, etc.
- Alternatively, let your child "blow off extra energy and tension" by doing some physical exercise.
- Talk to your child's doctor about giving your child a smaller dose of medication in the late afternoon. This is called a "stepped down" dose and helps a child transition off of medication in the evening.

My child is losing weight or not eating enough. (Common side effects of stimulant medication use)

- Encourage breakfast with calorie-dense foods.
- Give the morning dose of medication after your child has already eaten breakfast. Afternoon doses should also be given after lunch.
- Provide your child with nutritious after-school and bedtime snacks that are high in protein and in complex carbohydrates. Examples: Nutrition/protein bars, shakes/drinks made with protein powder, liquid meals.
- Get eating started with any highly preferred food before giving other foods.
- Consider shifting dinner to a time later in the evening when your child's medication has worn off. Alternatively, allow your child to "graze" in the evening on healthy snacks, as he or she may be hungriest right before bed.
- Follow your child's height and weight with careful measurements at your child's doctor's office and talk to your child's doctor.

Homework Tips

- Establish a routine and schedule for homework (a specific time and place.) Don't allow your child to wait until the evening to get started.
- Limit distractions in the home during homework hours (reducing unnecessary noise, activity, and phone calls, and turning off the TV).
- Praise and compliment your child when he or she puts forth good effort and completes tasks. In a supportive, noncritical manner, it is appropriate and helpful to assist in pointing out and making some corrections of errors on the homework.
- It is not your responsibility to correct all of your child's errors on homework or make him or her complete and turn in a perfect paper.
- Remind your child to do homework and offer incentives: "When you finish your homework, you can watch TV or play a game."
- If your child struggles with reading, help by reading the material together or reading it to your son or daughter.
- Work a certain amount of time and then stop working on homework.

"Common Daily Problems" adapted from material developed by Laurel K. Leslie, MD, San Diego ADHD Project.

The information contained in this publication should not be used as a substitute for the medical care and advice of your pediatrician. There may be variations in treatment that your pediatrician may recommend based on individual facts and circumstances.

Copyright ©2002 American Academy of Pediatrics and National Initiative for Children's Healthcare Quality

American Academy
of Pediatrics



DEDICATED TO THE HEALTH OF ALL CHILDREN™

NICHQ

National Initiative for Children's Healthcare Quality



For Parents of Children With ADHD

- Many parents find it very difficult to help their own child with schoolwork. Find someone who can. Consider hiring a tutor! Often a junior or senior high school student is ideal, depending on the need and age of your child.

Discipline

- Be firm. Set rules and keep to them.
- Make sure your child understands the rules, so he or she does not feel uninformed.
- Use positive reinforcement. Praise and reward your child for good behavior.

- Change or rotate rewards frequently to maintain a high interest level.
- Punish behavior, not the child. If your child misbehaves, try alternatives like allowing natural consequences, withdrawing yourself from the conflict, or giving your child a choice.

Taking Care of Yourself

- Come to terms with your child's challenges and strengths.
- Seek support from family and friends or professional help such as counseling or support groups.
- Help other family members recognize and understand ADHD.

"Common Daily Problems" adapted from material developed by Laurel K. Leslie, MD, San Diego ADHD Project.



Homework Tips for Parents

- **Establish a routine and schedule for homework (a specific time and place)** and adhere to the schedule as closely as possible. Don't allow your child to wait until the evening to get started.
- **Limit distractions** in the home during homework hours (eg, reduce unnecessary noise, activity, and phone calls; turn off the TV).
- **Assist your child in dividing assignments into smaller parts** or segments that are more manageable and less overwhelming.
- **Assist your child in getting started on assignments** (eg, read the directions together, do the first items together, observe as your child does the next problem/item on his or her own). Then get up and leave.
- **Monitor and give feedback without doing all the work together.** You want your child to attempt as much as possible independently.
- **Praise and compliment your child when he or she puts forth good effort and completes tasks.** In a supportive, noncritical manner it is appropriate and helpful to assist in pointing out and making some corrections of errors on the homework.
- **It is not your responsibility to correct all of your child's errors on homework** or make him or her complete and turn in a perfect paper.
- **Remind your child to do homework and offer incentives:** "When you finish your homework, you can..."
- **A contract for a larger incentive/reinforcer may be worked out** as part of a plan to motivate your child to persist and follow through with homework. ("If you have no missing or late homework assignments this next week, you will earn...").
- **Let the teacher know your child's frustration and tolerance level in the evening.** The teacher needs to be aware of the amount of time it takes your child to complete tasks and what efforts you are making to help at home.
- **Help your child study for tests.** Study together. Quiz your child in a variety of formats.
- **If your child struggles with reading, help by reading the material together** or reading it to your son or daughter.
- **Work a certain amount of time and then stop working on homework.** Don't force your child to spend an excessive and inappropriate amount of time on homework. If you feel your child worked enough for one night, write a note to the teacher attached to the homework.
- It is very common for students with ADHD to fail to turn in their finished work. It is very frustrating to know your child struggled to do the work, but then never gets credit for having done it. Papers seem to mysteriously vanish off the face of the earth! **Supervise to make sure that completed work leaves the home and is in the notebook/backpack.** You may want to arrange with the teacher a system for collecting the work immediately on arrival at school.
- Many parents find it very difficult to help their own child with schoolwork. Find someone who can. **Consider hiring a tutor!** Often a junior or senior high school student is ideal, depending on the needs and age of your child.
- **Make sure your child has the phone number of a study buddy**—at least one responsible classmate to call for clarification of homework assignments.
- Parents, **the biggest struggle is keeping on top of those dreaded long-range homework assignments** (eg, reports, projects). This is something you will need to be vigilant about. Ask for a copy of the project requirements. Post the list at home and go over it together with your child. Write the due date on a master calendar. Then plan how to break down the project into manageable parts, scheduling steps along the way. Get started AT ONCE with going to the library, gathering resources, beginning the reading, and so forth.

Adapted from Rief S. *The ADD/ADHD Book of Lists*. San Francisco, CA: Jossey-Bass Publishers; 2002

The information contained in this publication should not be used as a substitute for the medical care and advice of your pediatrician. There may be variations in treatment that your pediatrician may recommend based on individual facts and circumstances.

Copyright ©2002 American Academy of Pediatrics and National Initiative for Children's Healthcare Quality

American Academy
of Pediatrics



DEDICATED TO THE HEALTH OF ALL CHILDREN™

NICHQ

National Initiative for Children's Healthcare Quality

McNeil
Centimex & Aspirin
Pain Relievers

Why Is My Child Having Trouble in School?

It is very common for children with ADHD to have difficulties in school. These problems can occur for several reasons:

- Symptoms of ADHD like **distractibility and hyperactivity** make it hard for children with ADHD to pay attention or stay focused on their work, even though they may be capable learners and bright enough to understand the material.
- Many children with ADHD also have **trouble organizing** themselves, breaking an assignment down into smaller steps, and staying on a schedule.
- Some children with ADHD have **difficulty with self-control** and get into trouble with peers and/or teachers.
- Many children with ADHD also have a **learning disability**. Schools usually define a learning disability as a discrepancy between a child's IQ score and his or her performance on achievement tests. A child with a learning disability has difficulty understanding information he or she sees or hears OR trouble putting together information from different parts of the brain.
- Children with ADHD often **can learn material but it may take longer** and require more repetition.
- Children with ADHD often show **inconsistency in their work** because of their ADHD; one day they may know information and the next day they cannot seem to remember it.

Typical School Performance Difficulties Associated With ADHD

- Poor organization and study skills
- Weaknesses in written language/writing skills
- Minimal/inconsistent production and output (both in-class assignments and homework)
- Behavior that interferes with learning and impacts on interpersonal relationships
- Immature social skills

What Can I Personally Do to Help?

There are many different ways that a parent's participation can make a difference in a child's school experience, including:

- **Spending time** in the classroom, if your work schedule allows, and observing your child's behavior.
- **Talking with your child's teacher** to identify where your child is having the most problems.
- Working with your child's teacher to make a **plan** for how you will address these problems and what strategies at school and home will help your child be successful at learning and completing work.
- **Acknowledging the extra efforts your child's teacher** may have to make to help your child.

- **Reading all you can about ADHD** and sharing it with your child's teacher and other school officials.
- **Becoming an expert on ADHD and your child.**
- **Finding out about tutoring options** through your child's school or local community groups. Children with ADHD may take longer to learn material compared with other children even though they are just as smart. Tutoring may help your child master new materials.
- **Making sure your child actually has mastered** new material presented so that he or she does not get behind academically.
- **Acknowledging how much harder** it is for your child to get organized, stay on task, complete assignments, and learn material compared with other children. Help your child to get organized, break tasks down into smaller pieces, and expend his or her excess physical energy in ways that are "okay" at home and in the classroom.
- **Praising your child** and rewarding him or her for a job well done immediately after completing tasks or homework.
- **Joining a support group** for parents of children with ADHD or learning disabilities. Other parents may help you with ideas to help your child.

Another good way to get help from your school is to **determine if your school has a regular education process that helps teachers with students who are having learning or behavioral problems that the teacher has been unsuccessful in solving**. The process differs in various school districts and even among different schools in the same district. Some of the names this process may go by include Student Study Team (SST), Instructional Support Team (IST), Pupil Assistance Team (PAT), Student Intervention Team (SIT), or Teacher Assistance Team (TAT).

Parents are encouraged to request a meeting on their child to discuss concerns and create a plan of action to address their child's needs. In addition to the child's teacher, members of the team may include the child, the parents, a mentor teacher or other teachers, the principal, the school nurse, the resource specialist, a speech and language specialist, or a counselor or psychologist. The team members meet to discuss the child's strengths and weaknesses, the child's progress in his or her current placement, and the kinds of problems the child is having. The team members "brainstorm" to develop a plan of action that documents the kinds of interventions that will help the child, the timeline for the changes to take place, and the school staff responsible for the implementation of the team's recommendations.

The team should also come up with a plan to monitor the child's progress. A follow-up meeting should be scheduled within a reasonable time frame (usually 4 to 6 weeks) to determine whether the team's interventions are actually helping the child in the areas of difficulty.

Adapted from material developed by Laurel K. Leslie, MD, San Diego ADHD Project.

The information contained in this publication should not be used as a substitute for the medical care and advice of your pediatrician. There may be variations in treatment that your pediatrician may recommend based on individual facts and circumstances.

Copyright ©2002 American Academy of Pediatrics and National Initiative for Children's Healthcare Quality

American Academy
of Pediatrics



DEDICATED TO THE HEALTH OF ALL CHILDREN™

NICHQ

National Initiative for Children's Healthcare Quality



What Can I Do When My Child Has Problems With Sleep?

Many children with ADHD have difficulty sleeping at night, whether or not they are on medication. This is partially related to the ADHD; parents often describe their children as being “on the go” and collapsing late at night. It may also be due to the fact that stimulant medication has worn off, making it more difficult for them to manage their behavior. Lastly, some children have difficulty falling asleep because the stimulants affect them the same way caffeine affects adults.

Here are a few tips:

■ Develop bedtime rituals/routines.

- A bedtime ritual is a powerful sign that it is time to sleep. It needs to be simple so the child can “re-create” the ritual even if the parent is not present.
- Try writing out the bedtime ritual to make it consistent.

■ Pay attention to the sleep environment.

- Background noises, location, sleep partners, bedding, favorite toys, and lighting can all affect a child’s ability to fall asleep.
- A cool, dark, quiet room is best.

■ Letting children cry themselves to sleep is not recommended.

- Teach them to soothe themselves, such as giving the child a special blanket, a picture of the parent(s), or a stuffed animal to hold while falling asleep.
- Avoid activities that depend on a parent’s presence, including rocking or holding the child until he or she falls asleep.

■ Make the bedroom a sleep-only zone.

- Remove most toys, games, televisions, computers, and radios from your child’s bedroom if your child is having trouble falling asleep or is often up at night.
- One or two stuffed animals are acceptable.

■ Limit time in bed.

- Hours spent awake in bed interfere with good sleep patterns; the goal is to make the child’s bed a place for sleeping only.
- Be aware of how much sleep children need at different ages. Even though adults need about 8 hours of sleep, infants and toddlers often sleep more than 12 hours and children usually sleep 10 hours. Teenagers also need lots of sleep, sometimes requiring 9 hours or more.

■ Establish consistent waking times.

- Bedtimes and waking times should be the same 7 days a week.
- It is easier to enforce a waking time than a bedtime.

■ Avoid drinks with caffeine.

- Caffeine is present in a wide range of beverages, such as tea, soda, cocoa, and coffee. Drinking these beverages past the afternoon may make it more difficult for your child to settle down to sleep.

■ Establish daytime routines.

- Regular mealtimes and activity times, including playtime with parents, also help set sleep times.

■ Chart your child’s progress.

- Praise your child for successful quiet nights.
- Consider marking successful nights on a star chart and providing rewards at the end of the week.

■ Waking up at night is a habit.

- Social contact with parents, feeding, and availability of interesting toys encourage the child to be up late, so set limits on attention-getting behaviors at night.

■ Consider medical problems.

- Allergy, asthma, or conditions that cause pain can disrupt sleep. If your child snores loudly and/or pauses in breathing, talk to your doctor.

■ Try medications to help your child sleep only under the care of your child’s doctor.

- Medications need to be used very carefully in young children. Many medications can have complications and make sleep worse.
- Some children with ADHD may actually be helped by a small dose of a stimulant medication at bedtime. Paradoxically, this dose may help a child to get organized for sleep.
- Some children may ultimately need other bedtime medications—at least for a little while—to help improve sleep. Talk with your doctor before starting any over-the-counter or prescription medications.

Adapted from material developed by Laurel K. Leslie, MD, San Diego ADHD Project, and from material developed by Henry L. Shapiro, MD, FAAP, for the Pediatric Development and Behavior Web site (www.dbpeds.org).

The information contained in this publication should not be used as a substitute for the medical care and advice of your pediatrician. There may be variations in treatment that your pediatrician may recommend based on individual facts and circumstances.

Copyright ©2002 American Academy of Pediatrics and National Initiative for Children’s Healthcare Quality

American Academy
of Pediatrics



DEDICATED TO THE HEALTH OF ALL CHILDREN™

NICHQ

National Initiative for Children’s Healthcare Quality

