

Acetaminophen (Tylenol) Dosing Chart - every 4-6 hours

Indications: Treatment of fever/pain

Weight	Liquid 160mg/5 ml	Chewable 160mg	Adult 325mg tablet	Adult 500mg tablet
6-11 lb	1.25 ml	n/a	n/a	n/a
12-17 lb	2.5 ml	n/a	n/a	n/a
18-23 lb	3.75 ml	n/a	n/a	n/a
24-35 lb	5 ml	1 chewable	n/a	n/a
36-47 lb	7.5 ml	1.5 chewable	n/a	n/a
48-59 lb	10 ml	2 chewable	1 tablet	n/a
60-71 lb	12.5 ml	2.5 chewable	1 tablet	n/a
72-95 lb	15 ml	3 chewable	1.5 tablet	1 tablet
96+ lb	20 ml	4 chewable	2 tablet	1 tablet

For children under 2 months old, please consult with a provider

Ibuprofen (Motrin/Advil) Dosing Chart - every 6-8 hours

Indications: Treatment of fever/pain, **not for children under 6 months old**

Weight	Liquid Infant 50mg/1.25ml	Liquid Child 100mg/5ml	Chewable 100 mg	Adult 200 mg
12-17 lb	1.25 ml	2.5 ml	n/a	n/a
18-23 lb	1.875 ml	4 ml	n/a	n/a
24-35 lb	2.5 ml	5 ml	n/a	n/a
36-47 lb	3.75 ml	7.5 ml	n/a	n/a
48-59 lb	5 ml	10 ml	2 chewables	1 tablet
60-71 lb	n/a	12.5 ml	2.5 chewables	1 tablet
72-95 lb	n/a	15 ml	3 chewables	1.5 tablets
96+ lb	n/a	20 ml	4 chewables	2 tablets

Cetirizine Dosing Chart - every 12-24 hours

Indications: Treatment of nasal or eye allergies, hives, itching, and other allergic symptoms, **not for children under 6 months old**

Age	Cetirizine Dose
Under 6 mo	Not approved
6 mo to <2 years	2.5 mg (2.5 ml) once daily Do not exceed 2.5 mg in 24 hours.
2 years to <6 years	2.5 mg (2.5 ml) once daily; if needed, may increase to 5 mg (5ml) once daily or 2.5 mg (2.5 ml) every 12 hours. Do not exceed 5 mg in 24 hours.
6 years and older	5 mg (5 ml) or 10 mg (10 ml) once daily depending on symptom severity. Do not exceed 10 mg in 24 hours.

*for other specific dosage forms, please reference these links:

[Zyrtec Pediatric and Adult Dosing Chart](#)

[Zyrtec Products Dosage Guide](#)

Children's Benadryl Dosing Chart - every 6-8 hours

Indications: Treatment of allergic reactions, nasal allergies and hives

Weight	Liquid 12.5mg/5ml	Chewable 12.5 mg	Tablets/Capsules 25mg
20-24 lb	3.75 ml	n/a	n/a
25-37 lb	5 ml	1 chewable	½ tablet
38-49 lb	7.5 ml	1.5 chewables	n/a
50-99 lb	10 ml	2 chewables	1 tablet/capsules
100+ lb	n/a	4 chewables	2 tablets/capsules

For children under 2yo, please consult with a provider for dosing.

EpiPen / EpiPen Jr / Auvi Q / Adrenaclick Dosing Chart

Indications: Allergic/Anaphylactic Food/Drug/Bee sting reactions

Weight	Auvi Q 0.1 mg	Auvi Q 0.15 mg	EpiPen Jr 0.15 mg	Adrenaclick 0.15mg	Adrenaclick 0.3 mg	Auvi Q 0.3 mg	EpiPen 0.3 mg
10-16.5 lb	0.1 mg	n/a	n/a	n/a	n/a	n/a	n/a
17-55 lb	n/a	0.15 mg	0.15 mg	0.15 mg	n/a	n/a	n/a
55+ lb	n/a	n/a	n/a	n/a	0.3 mg	0.3 mg	0.3 mg

Abuterol neb/ Albuterol MDI maintenance dosing

Indications: Asthma, Exercise induced bronchospasm, Cough variant Asthma

Weight/Age	Albuterol neb 1.25 mg	Albuterol neb 2.5 mg	Albuterol MDI 90 mcg/actuation
20-30 lb	1.25 mg neb	n/a	n/a
31+ lb	n/a	2.5 mg	
4+ years old	n/a	2.5 mg	2 puffs

All dosed at a frequency of every 4-6 hours